

Thanks for buying a BISSELL Flip-It

We're glad you purchased a BISSELL Flip-It or Flip-It Select. Everything we know about floor care went into the design and construction of this complete, high-tech home cleaning system.

Your Flip-It is well made, and we back it with a limited one-year warranty. We also stand behind it with a knowledgeable, dedicated Consumer Services department, so, should you ever have a problem, you'll receive fast, considerate assistance.

My great-grandfather invented the floor sweeper in 1876. Today, BISSELL is a global leader in the design, manufacture, and service of high quality homecare products like your Flip-It .

Thanks again, from all of us at BISSELL.

man J. Jamel

Mark J. Bissell **President and Chief Executive Officer**

2

www.bissell.com

Thanks for buying a BISSELL Flip-It (5200), or Flip-It Select (7340)

For information about repairs or replacement parts, or questions about your warranty, call: BISSELL Consumer Services

1-800-237-7691

Monday - Friday	8 a.m. — 10 p.m. EST
Saturday	9 a.m. — 8 p.m. EST
Or write:	
BISSELL HOMECARE, INC	
PO Box 3606	
Grand Rapids MI 49501	
ATTN: Consumer Services	

Or visit the BISSELL website - www.bissell.com

When contacting BISSELL, have model number of unit available.

Please record your Model Number: ____

Please record your Purchase Date: _____

NOTE: Please keep your original sales receipt. It provides proof of date of purchase in the event of a warranty claim. See "About Your Warranty" on page 12 for details.

www.bissell.com



ug603-6704_5200_306.indd 3

3/1/06 11:28:52 AM

3

IMPORTANT SAFETY INSTRUCTIONS

When using an electrical appliance, basic precautions should be observed, including the following: Read all instructions before using your FLIP-IT[®]

WARNING: To reduce the risk

of fire, electric shock, or injury:

- Use indoors only.
- \blacksquare Do not leave FLIP-IT[®] when it is plugged in.
- Do not service FLIP-IT[®] when it is plugged in.
- Do not use with damaged cord or plug.
- Do not use FLIP-IT[®] if it has been dropped, damaged, left outdoors or dropped into water, have it repaired at an Authorized Service Center.
- Do not pull or carry by cord, use cord as a handle, close door on cord, pull cord around sharp corners or edges, run appliance over cord, or expose cord to heated surfaces.
- Do not carry the appliance while in use.
- Do not handle FLIP-IT[®] plug or appliance with wet hands.
- Do not put any object into appliance openings, use with blocked opening, or restrict air flow.
- Do not expose hair, loose clothing, fingers or body parts to openings or moving parts.
- Do not pick up hot or burning objects.
- Do not pick up flammable or combustible materials (lighter fluid, gasoline, kerosene, etc.) or use in the presence of explosive liquids or vapor.
- Do not use appliance in an enclosed space filled with vapors given off by oil base paint, paint thinner, some moth proofing substances, flammable dust, or other explosive or toxic vapors.
- Do not pick up toxic material (chlorine bleach, ammonia, drain cleaner, gasoline, etc.).
- Do not allow to be used as a toy.
- Do not use for any purpose other than described in this User's Guide.
- Connect to a properly grounded outlet only See Grounding Instructions.
- Unplug from outlet when not in use and before conducting maintenance or trouble shooting.
- Do not unplug by pulling on cord.
- Use only manufacturer's recommended attachments.
- Use only cleaning products formulated by BISSELL for use in this appliance to prevent internal component damage. See Cleaning Fluid Section of the manual.
- Keep openings free of dust, lint, hair, etc.
- Keep appliance on a level surface.
- Turn off all controls before unplugging.
- Unplug by grasping the plug, not the cord.
- Be extra careful when cleaning stairs.
- www.bissell.com



- Close attention is necessary when used by or near children
- **WARNING** The Power Cord of this unit contains chemicals, including lead, known in the state of California to cause birth defects or other reproductive harm.

Wash hands after handling.

SAVE THESE INSTRUCTIONS.

GROUNDING INSTRUCTIONS

This appliance must be connected to a grounded wiring system. If it should malfunction or break down, grounding provides a safe path of least resistance for electrical current, reducing the risk of electrical shock. The cord for this appliance has an equipment-grounding conductor and a grounding plug. It must only be plugged into an outlet that is properly installed and grounded in accordance with all local codes and ordinances.



WARNING: Improper

connection of the equipment-grounding conductor can result in a risk of electrical shock. Check with a qualified electrician or service person if you aren't sure if the outlet is properly grounded. DO NOT MODIFY THE PLUG. If it will not fit the outlet, have a proper outlet installed by a qualified electrician. This appliance is designed for use on a nominal 120-volt circuit, and has a grounding attachment plug that looks like the plug in the drawing above. Make certain that the appliance is connected to an outlet having the same configuration as the plug. No plug adapter should be used with this appliance.

This model is for household use only.

BISSE

800.237.7691

4



Special Features of Your BISSELL Flip-It

Included with the purchase of your Flip It are the following Specialized Cleaning Accessories... The Flip-It was designed to give the user the

ability to easily change between the Gentle Clean[™] Brushes and Pads.

1. The Gentle Clean[™] Brush is recommended for use on Hard Floor surfaces such as tile, vinyl, or surfaces that have grout or crevices where dirt and grime collect.



2. The Gentle Clean[™] Pad is intended for use on more delicate surfaces such as sealed hardwood, laminates or vinyl.



3. The Pleated Filter, located in the lid of the Dirty Tank should be cleaned periodically.

(On 7340 Flip-It Select Models only).

Assembling your new BISSELL Flip-It is a simple

NOTE: Remove clean tank from unit first.

Insert the Handle into the top of the unit, making

Insert screw; gently screw in until tight with the

sure the Spray Trigger is on the Wet Vacuum side. Make sure the screw opening in the handle is aligned with the hole in the housing of the unit.

and solution will be 25°F warmer.

To use the Flip-It select's Built-In Heater, push the

power switch down. The Heat Indicator Light will come on. Within 25-30 seconds, the flow of water

Built-In Heater

Putting It Together

body of the unit.

2 Step Process:



Dry Vacuum and Wet Cleaning Off Wet Cleaning using

Built-In Heater

Tip:

With Flip-It Select (7340 model series) you can choose whether or not you want to clean with heated water, based on your flooring type.

WARNING:

Do Not plug in your

procedures.

WARN

cleaner until you have

and are familiar with all

To reduce the risk of fire, use only **BISSELL** Hard

and Wood Floor Cleaning

Solutions in your Flip-It. Use


of cleaning formulas which contain lemon or pine oil may damage this appliance and void the warranty. Chemical spot cleaners or solvent based soil removers should

not be used. These products

may react with the plastic materials used in your Flip-It causing cracking or pitting.

instructions and operating

completely assembled it per the following instructions





www.bissell.com


6

1.

2.

ug603-6704_5200_306.indd 6

3/1/06 11:29:00 AM



ug603-6704_5200_306.indd 7

3/1/06 11:29:01 AM

Dry Vacuuming

With the Dry Side of the unit facing forward, turn the unit on and begin cleaning.

You will see dry dirt, crumbs and debris being collected in the Dirty Tank. You do not have to empty the dry debris before wet cleaning.

Flipping From Dry to Wet Cleaning

To change from dry vacuuming to wet cleaning simply flip the unit around!

The Gentle Clean[™] Brush or Pad and Squeegee will automatically be lowered to effectively clean and Dry all your Hard <u>Fl</u>oor Surfaces.



Wet Cleaning/Vacuuming

To begin Wet Cleaning, simply pull the Spray Trigger. Water and Formula will be dispensed through the Gentle Clean™ Brush or Pad.



On Flip-it Select Models, for heated cleaning press the switch down to turn on the Built-In Heater.



To maximize the area to be cleaned, it is recommended that the Spray Trigger is squeezed on the forward stroke and released on the reverse stroke.

This will dispense water and formula going forward and on the pull back, the squeegee will leave the floor essentially dry and ready to walk on.





Tip:

To extend the life of your filter and to maintain maximum dry suction, check the filter for lint and debris frequently

Tip:

To make sure water and formula are flowing, squeeze the Spray Trigger without the Gentle Clean[™] Brush or Pad Inserted. You should see a light stream of water and formula dispensed unto the floor.

▲ CAUTION:

Do not over wet the floor. Apply solution by depressing the trigger on the forward stroke only and release the trigger on the rearward stroke. Over wetting the floor surface may cause delamination of certain laminated flooring materials.

800.237.7691

ug603-6704_5200_306.indd 8

www.bissell.com

8

3/1/06 11:29:03 AM

am | |

Dirty Tank Is Full

While Wet Cleaning, you will see dirty water collected in the Dirty Tank. When the Tank is full, the white Float in the Dirty Tank will rise to the top, making a noticeable sound to let you know it is time to empty the Dirty Tank. Suction will stop when tank is full of water.

When You're Finished

Emptying The Dirty Tank

Remove the Dirty Tank Lid. Then dump the dirty water and debris into the sink, toilet, laundry tub or outside. Rinse the tank out with warm water and replace it in the unit.

Checking The Filter

While the Dirty Tank is out of the unit, remove the Pleated Filter from the top of the tank. Remove dirt and debris from the pleats by gently tapping the filter over the wastebasket or outside.

The Pleated Filter can also be rinsed under water to clean.

NOTE: If the Pleated Filter is rinsed with warm water to clean, it is recommended to leave it out of the unit to air dry before placing it back in the unit.

Cleaning The Gentle Clean[™] Brush or Pad

Gentle Clean™Brush

Remove the Brush from the unit and rinse under warm water.

Gentle Clean™Pad

Remove the Gentle Clean[™] Pad Plate from the unit. Peel the pad from the Pad Plate and toss in the wash!

Removing Wet Clean Nozzle

Remove the Wet Clean Nozzle by pulling tab on right and left side of nozzle. Rinse any dirt and grime off the nozzle under warm tap water.

To replace the Wet Clean Nozzle, insert the 4 tabs along the bottom of the Nozzle Window and gently snap the Wet Cleaning Nozzle back into place.




Tip:

While using the Flip-It in the Wet Cleaning mode, make sure to listen for the change in the sound to alert you when the Dirty Tank is full.

Tip:


If there are large pieces of debris in the water, you may not want to empty the tank into your sink.



WARNING:

To reduce the risk of

fire, electric shock or injury unplug from outlet before servicing.



3/1/06 11:29:04 AM

www.bissell.com

Storing The Flip-It

Your Flip It can be stored Ready-to-Use, by leaving water and formula in the unit. Be sure to remove wet Gentle Clean™ Pad before storing.

Tip:

If the Pleated Filter is rinsed with warm water to clean, it is recommended to leave it out of the unit to air dry before placing it back in the unit.



Water & Formula are draining out from the clean tank.

Possible Causes

- 1. Clean Tank Black Cap & Valve are not on tight
- 2. Clean Tank Black Cap & Valve are cross threaded

No suction

Possible Causes

- 1. Filter may be dirty or clogged
- 2. Wet vacuum nozzle may not be on properly
- 3. Tank is full
- 4. Filter is wet
- 5. Something is caught and clogging the air path

Water is not flowing

Possible Causes

1. Clean Tank is not inserted properly





Remedies

- 1. Remove Black Cap & Value and attach tightly
- 2. Remove Black Cap & Valve and make sure it is screwed on straight and tightly

Remedies

- 1. Remove filter from the Dirty Tank and clean
- 2. Make sure Wet Vacuum Nozzle is on tight and snapped into place
- 3. Empty Tank
- 4. Make sure filter is completely dry before placing back into the unit.
- 5. Unplug unit. Remove Wet Clean Nozzle and insert a blunt object into the air path to remove any potential clog.

Remedies

1. Remove Tank and reinsert into the unit

800.237.7691

ug603-6704_5200_306.indd 10


www.bissell.com

10

3/1/06 11:29:04 AM

Replacement parts - BISSELL Flip-It 5200 & Flip-It Select 7340		
Item	Part No.	Part Name
1	203-6705	Filter
2	203-6706	Dirty Tank Lid Assembly -Acier Blue
3	203-6858	Dirty Tank Lid Assembly -Vulcanic Satin
4	203-6707	Dirty Tank -Acier Blue
5	203-6859	Dirty Tank -Vulcanic Satin
6	203-6708	Wet Vacuum Nozzle -Acier Blue
7	203-6860	Wet Vacuum Nozzle -Vulcanic Satin
8	203-6725	Clean Tank with Cap -Acier Blue
9	203-6856	Clean Tank with Cap -Vulcanic Satin
10	203-6711	Handle with Screw -Acier
11	203-6854	Handle with Screw -Vulcanic Satin
12	203-6800	Cap and Insert Assembly
13	203-6714	Cord Wrap - Acier
14	203-6855	Cord Wrap-Vulcanic Satin
15	203-6700	Gentle Clean [™] Brush Card
16	203-6701	Gentle Clean [™] Pad Card
17	203-6702	Gentle Clean [™] Pad (2 pack)
18	3270	Replacement Pack (2 Gentle Clean™ Pads & 1 Pleated Filter)
19	0482	Wood Floor Solutions
20	0484	Hard Floor Solutions

*Not all parts are included with every model.



ug603-6704_5200_306.indd 11

Warranty - BISSELL Flip-It

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state. If you need additional instruction regarding this warranty or have questions regarding what it may cover, please contact BISSELL Consumer Services by E-mail, telephone, or regular mail as described below.

Limited One Year Warranty

Subject to the ***EXCEPTIONS AND EXCLUSIONS** identified below, upon receipt of the product BISSELL Homecare, Inc. will repair or replace (with new or remanufactured components or products), at BISSELL's option, free of charge from the date of purchase by the original purchaser, for one year any defective or malfunctioning part.

See information below on "If your BISSELL product should require service".

This warranty applies to product used for personal, and not commercial or rental service. This warranty does not apply to fans or routine maintenance components such as filters, belts, or brushes. Damage or malfunction caused by negligence, abuse, neglect, unauthorized repair, or any other use not in accordance with the User's Guide is not covered.

NOTE: Please keep your original sales receipt. It provides proof of date of purchase in the event of a warranty claim. See "About Your Warranty" on page 12 for details.

If your BISSELL product should require service:

Contact BISSELL Consumer Services to locate a BISSELL Authorized Service Center in your area.

If you need information about repairs or replacement parts, or if you have questions about your warranty, contact BISSELL Consumer Services.

Website or E-mail:

www.bissell.com Use the "Customer Services" tab.

Or Call:

BISSELL Consumer Services 1-800-237-7691 Monday - Friday 8 a.m. - 10 p.m. ET Saturday 9 a.m. - 8 p.m. ET

Or write:

BISSELL Homecare Inc. PO Box 3606 Grand Rapids MI 49501 ATTN: Consumer Services

BISSELL HOMECARE, INC. IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE ASSOCIATED WITH THE USE OF THIS PRODUCT. BISSELL'S LIABILITY WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

*EXCEPTIONS AND EXCLUSIONS FROM THE TERMS OF THE LIMITED WARRANTY THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTIES EITHER ORAL OR WRITTEN. ANY IMPLIED WARRANTIES WHICH MAY ARISE BY OPERATION OF LAW, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE TWO YEAR DURATION FROM THE DATE OF PURCHASE AS DESCRIBED ABOVE.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.



©2006 BISSELL Homecare, Inc Grand Rapids, Michigan All rights reserved. Printed in China Part Number 603-6764 Rev 02/06 Visit our website at: www.bissell.com 8 0 0 . 2 3 7 . 7 6 9 1



www.bissell.com

